## ACCESS HARDWARE Presents 6

# THE COMPLETE ARCHITECTURAL COLLECTION

2015

# Manufacturing quality, prioritising service

Since 1985 we have been helping customers pick the best products to meet their requirements.

A recent expansion has allowed us to increase stock levels and work on developing our product range.

With the addition of a product designer to our team we can now offer bespoke product design and branding.

#### **GET IN TOUCH**

Access Hardware Ltd Unit 35 | Monkspath Bus Prk Solihull West Mids | B90 4NZ T: 0121 667 8054
F: 0121 667 8055
E: sales@accesshardware.co.uk
Monday - Friday 8:30am - 5pm

Access Hardware only sell to trade, please contact our friendly staff to find your nearest stockist.

## 

STAINLESS STEEL LEVER ON ROSE	03	ACCESSORIES Hinges	49
A series		Latches Locks	
B series		Door stops	
B series Slimline		Coat hooks	
C series		Symbols	
2.		Numerals	
CHROME PLATED	19	Letter plates	
LEVER ON ROSE	10	Letter tidies	
D series		Cylinder pulls	
E series		Flush bolts	
E Selles		Finger plates	
LEVER ON PLATE	33	PULL HANDLES	67
J series		Pull handles	07
K series		Grab rails	
M series	The second second	Doc M	
N series			
W series		CABINET HANDLES	77
	The state of	The state of the s	//
		LOCKWOOD	81

### **OUR PROMISE**

Friendly

Service

Quality Products Value for Money

#### **OUR FINISHES**

SSS	Satin Stain	

- PSS Polished Stainless Steel
- DSS Duo Stainless Steel (Mixed Polished and Satin Stainless Steel)
- DB Duo Black (Mixed Polished & Black Chrome Plate)
- DZ Duo Zinc (Mixed Polished and Satin Chrome)
- DA Duo Aluminium (Mixed Polished and Satin Chrome)
- SC Satin Chrome
- SN Satin Nickel
- PC Polished Chrome
- PA Polished Aluminium
- PB Polished Brass
- PCW Powder Coated White

## INTRODUCING Stainless Steel



#### Stainless Steel

## A SERIES

CONCEALED FIX | PUSH FIT ROSE | FIXINGS SUPPLIED

#### **A10 STRAIGHT**

Rose thickness 10mm Rose dia 52mm Lever length 125mm Projection 68mm

#### FD30/60 A

Bolt through and screw fixings included Push fit Rose Microtight spindle, Sprung SSS & PSS





#### A12 19mm

Rose thickness 10mm Lever dia 19mm Lever inside projection 52mm SSS, PSS

#### A12 22mm

Rose thickness 10mm Lever dia 22mm Lever inside projection 60mm

#### **A12 RETURN TO DOOR**

Rose dia 52mm
Lever inside length 96mm
Complies to BS8300 (DDA compliant)
FD30/60 Push fit rose
Bolt through and screw fixings included
Microtight spindle
Available models below:


#### **A12 UNSPRUNG**

Rose thickness 5mm Lever dia 19mm Lever inside projection 47mm SSS

#### Need heavy duty?

## FA12 GRADE 3





#### A12 GRADE 3

Rose thickness 10mm Lever dia 19mm Lever inside projection 50mm

Conforms to EN 1906:2010 37-1130B Conforms to BS8300 (DDA compliant) Tested to 200,000 cycles FD30/60 APP Push fit Rose

Bolt through and screw fixings included Microtight spindle, Sprung

#### Stainless Steel



## OB SERIES



CONCEALED FIX | PUSH FIT ROSE | FIXINGS SUPPLIED | ROSE THICKNESS 10MM

#### **B13 T BAR LEVER**

Rose dia 54mm Lever length 125mm Lever projection 61mm

#### FD30/60 A

Push fit Rose Bolt through and screw fixings included Microtight spindle, Sprung SSS & PSS



#### **B15 3 RINGS**

Rose dia 54mm Lever length 125mm Lever projection 61mm

#### FD30/60 🔥


Push fit Rose Bolt through and screw fixings included Microtight spindle, Sprung SSS & PSS


#### The





Lever





#### **B14 MITRED**

Rose dia 54mm Lever length 126mm Lever projection 64mm

#### FD30/60 🔥


Push fit Rose

Bolt through and screw fixings included Microtight spindle, Sprung

SSS & PSS

### Best seller





#### **B17 ARCHED**


Rose thickness 10mm Rose dia 52mm Lever length 136mm Lever projection 70mm

FD30/60 🔥

Push Fit Rose Bolt through and screw fixings included Microtight spindle, Sprung SSS & PSS

### DUO FINISH





#### **B33 DUO FINISH**

Rose thickness 10mm Rose dia 52mm Lever length 134mm Lever projection 70mm

#### FD30/60 🔥

Push Fit Rose
Bolt through and screw fixings included
Microtight spindle, Sprung
DSS

## ESCUTCHEONS

CONCEALED FIX | PUSH FIT ROSE | WOOD SCREW FIXINGS SUPPLIED | DIAMETER 52MM | THICKNESS 10MM | SSS & PSS





STANDARD KEYHOLE ESCUTCHEON





EURO PROFILE CYLINDER ESCUTCHEON

## THUMB TURNS

CONCEALED FIX | PUSH FIT ROSE | DIAMETER 52MM | THICKNESS 10MM | WOOD SCREW FIXINGS SUPPLIED 5MM SPINDLE | SSS & PSS | USED WITH L5045SZ & L5057SZ BATHROOM LOCKS - PAGE 55



#### A9010

BATHROOM TURN AND RELEASE WITH NO INDICATOR



BATHROOM TURN AND RELEASE WITH INDICATOR









A9710

DISABLED TURN AND RELEASE WITH INDICATOR



CONCEALED FIX | PUSH FIT ROSE | FIXINGS SUPPLIED | ROSE THICKNESS 6MM

#### **B50 CURVED**

Rose dia 52mm Lever length 135mm Lever projection 65mm

Push Fit Rose FD30/60 ♠ Bolt through and screw fixings included Microtight spindle, Sprung SSS & PSS






#### **B51 ARCHED**

Rose dia 52mm Lever length 132mm Lever projection 65mm

Push fit Rose FD30/60 ♠ Bolt through and screw fixings included Microtight spindle, Sprung SSS & PSS

### B52 COMFORT



"Try me for comfort"

#### **B52 COMFORT**

Rose dia 52mm
Lever length 130mm
Lever projection 62mm

FUSH FILE ROSE

FD30/60 
Bolt through and screw fixings included Microtight spindle, Sprung

SSS & PSS

#### Now all the bits

## TO MATCH.

CONCEALED FIX | PUSH FIT ROSE | WOOD SCREW FIXINGS SUPPLIED | THICKNESS 6MM | SSS & PSS



A8306
STANDARD KEYHOLE
ESCUTCHEON



A8406

OVAL PROFILE
CYLINDER ESCUTCHEON



A8506

EURO PROFILE
CYLINDER ESCUTCHEON

#### ...and for the

## BATHROOMS

CONCEALED FIX | PUSH FIT ROSE | THICKNESS 6MM | 5MM SPINDLE | WOOD SCREW FIXINGS SUPPLIED SSS & PSS | USED WITH L5045SZ & L5057SZ BATHROOM LOCKS - PAGE 55



## C SERIES


CONCEALED FIX | SCREW ON ROSE | FIXINGS SUPPLIED | ROSE THICKNESS 8MM | DSS FINISH

#### C30 WAVE

Rose dia 52mm Lever length 122mm Lever projection 68mm DSS

Screw on Rose Bolt through and screw fixings included Microtight spindle, Sprung





#### **C33 STRAIGHT**

Rose dia 52mm Lever length 135mm Lever projection 65mm

Screw on Rose
Bolt through and screw fixings
included
Microtight spindle, Sprung
\*Also available on B series rose\*
- page 11

## ESCUTCHEONS & TURNS

5MM SPINDLE | SCREW FIXING SUPPLIED



**C8308** 

STANDARD KEYHOLE ESCUTCHEON



**C8408** 

OVAL PROFILE CYLINDER ESCUTCHEON



**C8508** 

EURO PROFILE CYLINDER ESCUTCHEON



C9008

BATHROOM TURN AND RELEASE WITH NO INDICATOR



C9708

DISABLED BATHROOM TURN AND RELEASE WITH INDICATOR



USED WITH L5045SZ & L5057SZ BATHROOM LOCKS - PAGE 55



INTRODUCING See Chrome Plated 1000

## LEVER ONE GSSE

#### Chrome Plated

## D SERIES

CONCEALED FIX | SCREW ON ROSE | FIXINGS SUPPLIED | ROSE THICKNESS 10MM

#### D20 WAVE

Rose dia 50mm Lever length 127mm Lever projection 63mm

Screw on Rose Bolt through and screw fixings included Microtight spindle Sprung DA finish




#### **D23 STRAIGHT**

Rose dia 50mm Lever length 123mm Lever projection 62mm

Screw on Rose
Bolt through and screw fixings
included
Microtight spindle
Sprung
DA finish

#### Peoples Choice

## D22 WINGED



# 120mm


#### **D22 WINGED**

Rose dia 50mm Lever length 120mm Lever projection 70mm

Screw on Rose
Bolt through and screw fixings
included
Microtight spindle
Sprung
DA finish







#### **D21 BROAD**

Rose Thickness: 10mm Rose Diameter: 50mm Lever Length: 124mm Lever Projection: 58mm

Screw on Rose Bolt through & Screw fixings included Microtight Spindle Sprung DA Finish

#### **CURVED**

#### **D24**

Rose thickness 10mm Rose dia 50mm Lever width 20mm Lever length 126mm Lever projection 64mm

Screw on Rose Bolt through and screw fixings included Microtight spindle Sprung









## Chrome Plated Coro D41 OFFSET



Rose thickness 10mm Rose dia 54mm Lever length 130mm Lever projection 63mm

Screw on Rose Bolt through and screw fixings included Microtight spindle, Sprung DZ finish

#### Now all the bits

## 

#### **ESCUTCHEONS**

Concealed Fix Screw on Rose Wood Screw fixings supplied Thickness 10mm DZ finish



D8310

STANDARD KEYHOLE ESCUTCHEON



EURO PROFILE CYLINDER

#### BATHROOM TURN

Concealed fix Screw on Rose Thickness 10mm Wood screw fixings supplied D7 finish

Used in conjunction with L5045SZ & L5057SZ Bathroom locks page 55





**D9010** 

BATHROOM TURN AND RELEASE WITH NO INDICATOR

#### Modern & Functional

#### THE PERFECT BALANCE

THE D43 IS A CONTEMPORARY LEVER WITH A TWIST, AN **ULTRA MODERN** BLACK FINISH.



#### **Modern & Functional**

#### THE FUTURE IS HERE



#### **D8310**

STANDARD KEYHOLE ESCUTCHEON

Concealed Fix Screw on Rose Wood Screw fixings supplied Thickness 10mm DB

#### **D9010**

BATHROOM TURN AND RELEASE WITH NO INDICATOR

Concealed fix Screw on Rose Thickness 10mm Wood screw fixings supplied Used with L5045SZ & L5057SZ Bathroom locks page 55 DB



#### Chrome Plated

## E SERIES

CONCEALED FIX | GRUB SCREW FIX ROSE | FIXINGS SUPPLIED | ROSE THICKNESS 10MM

#### **E60 ARCHED**

Rose 52mm square Lever length 132mm Lever projection 67mm

Bolt through and screw fixings included Microtight spindle, Sprung DZ finish






#### **E62 STRAIGHT**

Rose 52mm square Lever length 135mm Lever projection 68mm


Bolt through and screw fixings included Microtight spindle, Sprung DZ finish

#### Sleek, simple & ultra modern

#### THE ARCHITECT'S CHOICE



DUO FINISH HANDLE



#### E61 CUBE

Rose 52mm square Lever length 130mm Lever projection 67mm

Bolt through and screw fixings included Microtight spindle, Sprung DZ finish



CONCEALED FIX | GRUB SCREW FIX ROSE | WOOD SCREW FIXINGS SUPPLIED | 5MM SPINDLE | ROSE THICKNESS 10MM



E8310

STANDARD KEYHOLE ESCUTCHEON



E8510

EURO PROFILE CYLINDER ESCUTCHEON

#### **ESCUTCHEONS**

Concealed Fix Grub screw fit rose Wood Screw fixings supplied Thickness 10mm DZ finish

#### BATHROOM TURNS

Concealed fix Grub screw fit rose Thickness 10mm Wood screw fixings supplied DZ finish

Used in conjunction with L5045SZ & L5057SZ Bolt through Bathroom locks page 5





E9010

BATHROOM TURN AND RELEASE WITH NO INDICATOR



E9710

DISABLED BATHROON
TURN AND RELEASE
WITH INDICATOR





INTRODUC The classic LEVER ON 

#### Lever on Plate

## J SERIES

CONCEALED FIX | BOLT THROUGH FIXINGS SUPPLIED | SSS FINISH







### Lever on Plate

# ok series

FIXING SUPPLIED | CONCEALED FIX | 10MM THICK PLATE



LEVER ON LATCH PLATE

Plate size 46mm x 245mm x 10mm Push fit plate Microtight spindle





**EURO PROFILE** 





### Introducing

# THE BESTSELLING

#### WINGED LEVER ON BACKPLATE

SURFACE FIXED | SCREW FIXINGS SUPPLIED | SA FINISH



#### **K2211SA**

LEVER ON LATCH PLATE

Plate size 45mm x 180mm x 10mm Micro tight spindle





LEVER ON STANDARD LOCK PLATE

57mm centres



LEVER ON EURO PROFILE PLATE

47.5mm centres





# Entry Level

# M SERIES

SURFACE FIXED | SCREW FIXINGS SUPPLIED | PB, PC & SC FINISH

#### M01016

VICTORIAN SCROLL LEVER ON BATHROOM PLATE

57mm centres
Plate size: 40mmx153mmx10mm
Lever length 95mm
Lever projection 55mm




#### M01013

VICTORIAN SCROLL LEVER ON LOCK PLATE

57mm centres
Plate size: 40mm x 153mm x 10mm
Lever length 95mm
Lever projection 55mm


## VICTORIAN SCROLL LEVER



### Looking for something more

# TRADITIONAL

SURFACE FIXED | SCREW FIXINGS SUPPLIED | PC FINISH



#### M02016

VICTORIAN LEVER ON BATHROOM PLATE

57mm centres Plate size: 40mm x 153mm x 10mm Lever length 100mm Lever projection 45mm





SURFACE FIXED | SCREW FIXINGS SUPPLIED | SA FINISH



### N2611

CURVED LEVER ON LATCH PLATE

Plate size 32mm x 168mm Lever length 123mm

#### **N2616**

CURVED LEVER ON BATHROOM PLATE

57mm centres Plate size 32mm x 168mm Lever length 123mm







SURFACE FIX PLATE | MICROTIGHT SPINDLE | SCREW FIXINGS INCLUDED | SPRUNG | SSS




#### W121

#### LEVER ON LATCH PLATE

Plate size 162mm x 162mm



#### HANDING CHART



#### W125

LEVER ON EURO PROFILE PLATE

72mm centres







#### W127L/R

LEVER ON DISABLED TURN AND RELEASE PLATE

8mm centres



See Of Our RANGE

# QUALITY ACCESSORIES





#### H301

3X2.5 BALL BEARING HINGE

3 x 2.5 inch x 2mm Double Ball Bearing Fire rated FD30/60 ♠ BSEN 1363-1:1999 SSS



# H302

3X2 BALL BEARING HINGE

3 x 2 inch x 2mm Double Ball Bearing SSS & PSS



### H303

3X2 WASHERED HINGE

3 x 2inch x 2mm 4 washers SSS & PSS



#### H401

4X3 BALL BEARING HINGE

4 x 3 x 2.5mm Straight corners Fire rated FD30/60 ♠ Grade 13 & BS EN 1935:2002/AC:200 SSS & PSS





#### H402

4X3 RADIUS HINGE

4 x 3 x 2.5mm Radius corners Fire rated FD30/60 A Grade 13 & BS EN 1935:2002/AC:200 SSS



# SPRING HINGES

#### T120

#### SPRING HINGE

Adjustable Spring power adjustable Screw fixings supplied 90mm high 52mm wide SSS 316

#### T121

#### **UNSPRUNG HINGE**

Screw fixings supplied 90mm high 52mm wide SSS 316









#### T122

#### ADJUSTABLE SPRING HINGE

4 x 3 inch Spring power adjustable Screw fixings supplied SSS

# Introducing the new

# RISING HINGE





AVAILABLE IN LEFT AND RIGHT HAND



H403 L/R

RISING BUTT HINGE

4 x 3 inch Right hand hinge pictured SSS

# LATCHES & LOCKS

#### **L01**

### BOLT THROUGH TUBULAR MORTICE LATCH

2.5 inch / 45mm backset 3 inch / 57mm backset Suitable for all sprung levers Dust socket included Fire rated FD30/60 ♠ SZ, PB & PC

\_\_\_\_\_







#### **L53**

#### **BATHROOM DEADBOLT**

2.5 inch / 45mm backset 3 inch / 57mm backset 5mm follower Bolt through holes SZ



**L01** 

**REBATE KITS** 

Rebate kit to suit L01 latche SZ & PB





#### **L50**

#### **BOLT THROUGH BATHROOM LOCK**

2.5 inch / 45mm backset 3 inch / 57mm backset Dust socket included Suitable for all sprung levers SZ

#### L51

#### **BOLT THROUGH 3 LEVER LOCK**

2.5 inch / 45mm backset
3 inch / 57mm backset
Supplied with 2 keys
Suitable for all sprung levers
SZ & PB supplied as 1 product



# DOOR STOPS

#### X2875

WALL DOOR STOP

16 x 75mm Screw fixing supplied SSS & PSS



#### X2876

WALL DOOR STOP ON ROSE

16 x 75mm door stop 50 x 8mm concealed rose Screw fixings supplied SSS & PSS

#### X2877

SKIRTING DOOR STOP ON ROSE

75mm projection on a small face fix rose Rose 37dia x 2mm Screw fixings supplied SSS & PSS





FLOOR DOOR STOP

30mm diameter 40mm high Screw fixing supplied SSS, PSS & SC






#### X2840

OVAL DOOR STOP

40mm diameter 25mm high Screw fixing supplier SSS, PC & SC

# **COAT HOOKS**



#### **T500**


CYLINDRICAL COAT HOOK WITH BUFFER

90mm projection 50mm rose Concealed Fix Screw fixings supplied SSS & PSS

#### T501

CYLINDRICAL COAT HOOK WITH BUFFER

65mm projection 50mm rose Concealed Fix Screw fixings supplied SSS





#### COAT HOOK WITH BUFFER

20mm wide | 50mm high 35mm projection Screw fixings supplied SA



#### COAT HOOK WITH BUFFER

44mm projection | 20mm wide 4mm thick | 60mm high Screw fixings supplied SSS & PSS



#### COAT HOOK WITHOUT BUFFER

18mm wide | 47mm projection Screw fixings supplied SSS



#### **T511**

SMALL DOUBLE COAT HOOK

23mm Projection 54mm wide 28mm high Screw fixings supplie PC, PB



#### T520

#### HAT & COAT HOOK WITH BUFFER

92mm projection 24mm wide 4mm thick 70mm high Screw fixings supplied SSS






#### T521

#### HAT & COAT HOOK WITH BUFFER

44mm projection 20mm wide x 4mm thick x 110mm hig Screw fixings supplied SSS & PSS



#### T513

#### LARGE HAT AND COAT HOOK

52mm Projection 24mm wide 90mm high Screw fixings supplied PC, PB





75MM DIAMETER | SCREW FIXINGS INCLUDED | SSS & PSS











X2005 SHOWER SIGN



**X2006** W/C SIGN



X2007 BABY CHANGE SIGN



X20085
PUSH SYMBOL
SSS only











X2020 FIRE DOOR KEEP SHUT SIGN X2021
FIRE DOOR KEEP
LOCKED SIGN

X2022
AUTOMATIC
FIRE DOOR KEEP
CLEAR SIGN

X2023
FIRE DOOR KEEP
CLEAR SIGN

# **NUMERALS**

75mm high | Screw fixings supplied | SSS & PSS



75mm high | Screw fixings supplied | SSS & PSS



X21300-09
Available 0-9



**X21310-13**Available A-D

# LETTER PLATE



#### X9412

#### LETTER PLATE

305 x 102mm sprung Aperture 250 x 50mm Bolt Centres 278mm Bolt through fixings supplied Grade 316 for external use SSS & PSS

# LETTER TIDY

#### X95

INTERNAL LETTER TIDY

280 x 80mm in PSS 320 x 90mm in SSS & PSS



# CYLINDER PULL



#### X705

EURO PROFILE CYLINDER PULL

30mm projection 43mm wide Grade 316 for external use Screw fixings supplied SSS & PSS

# FLUSH BOLTS

#### **X40**

19MM FLUSH BOLT

Available: 150 x 19mm / 200 x 19mm Fixings supplied SSS & PSS

#### X41

25MM FLUSH BOLT

Available: 200 x 25mm Fixings supplied SSS



# FINGER PLATES

#### X25

300 x 75mm 350 x 75mm 450 x 75mm Screw fixings supplied SSS & PSS



#### **X25 PRINTED**

300 x 75mm printed push SSS & PSS OUR RANGE of quality 



D SHAPE PULL HANDLE



# PULL HANDLES

BT = BOLT THROUGH | BB = BACK TO BACK PAIR



EASY TO FIX PLATE



#### P12 BACKPLATE

PULL HANDLE ON PLATE

Surface fix only

19 x 225mm on 300 x 75mm plate: SSS PSS

19 x 400 on 450 x 75mm plate: SSS 22 x 400 on 450 x 75mm plate: SSS



#### P12

#### **SIZES, FINISHES & FIXINGS**

19 x 150	SSS	PSS	ВТ	ВВ
19 x 225	SSS	PSS	ВТ	ВВ
19 x 300*	SSS	PSS	ВТ	ВВ
19 x 400*	SSS	PSS	ВТ	ВВ
19 x 600*	SSS		ВТ	ВВ
22 x 400*	SSS	PSS	ВТ	ВВ
25 x 300*	SSS		ВТ	ВВ
25 x 425*	SSS		ВТ	
25 x 450*	SSS		ВТ	ВВ
25 x 600*	SSS		ВТ	ВВ
32 x 450*	SSS	PSS	ВТ	ВВ
32 x 600*	SSS	PSS	ВТ	ВВ
32 x 900*	SSS	PSS	ВТ	
32 x 900*	SSS			ВВ

<sup>\*</sup>DDA compliant

## ENTRANCE HANDLES

BT = BOLT THROUGH | BB = BACK TO BACK PAIR

#### **P25**

#### DUO CURVED PULL HANDLE

25 x400mm DSS | BT | BB Bolt Through fixings suitable for timber doors

Glass fixings available to order

Back to Back fixings suitable for glass & timber doors DDA compliant

# P63

SEMI CIRCULAR PULL HANDLE

23 x 230 333 BT BB 32 x 300 SSS PSS BT BB (DDA compliant) Bolt Through fixings suitable for timber door

Glass fixings available to order

Back to Back fixings suitable for glass & timber door



#### BANANA PULL HANDLE

25 x 450mm SSS BT BB 25 x 600mm SSS BT BB Bolt Through fixings suitable for timber doors

Glass fixings available to order

Back to Back fixings suitable for glass & timber doors DDA compliant

#### **P69**

#### STRAIGHT PULL HANDLE

32 x 450mm SSS BT BB 32 x 600mm SSS PSS BT BB Bolt Through fixings suitable fo timber doors

Glass fixings available to order

Back to Back fixings suitable fo glass & timber doors DDA compliant

## **GRABRAILS**

#### **SIZES AVAILABLE**

19 x 300	SSS	PSS
19 x 400	SSS	PSS
19 x 600	SSS	
22 x 400	SSS	PSS
25 x 300	SSS	
25 x 425	SSS	
25 x 450	SSS	
25 x 600	SSS	
32 x 450	SSS	PSS
32 x 600	SSS	PSS
32 x 900	SSS	PSS



TUBULAR GRAB RAIL

Bolt through stainless steel disc supplied to convert P12 Suitable for 10-12mm glass and 10-25mm board Longer bolts are available to order for up to 46mm board DDA compliant





#### P12-BBG

TUBULAR GRAB RAIL

Back to back pair Suitable for 10-12mm glass and 10-46mm board DDA compliant

#### **SIZES AVAILABLE**

19 x 300	SSS	PSS
19 x 400	SSS	PSS
19 x 600	SSS	
22 x 400	SSS	PSS
25 x 300	SSS	
25 x 450	SSS	
25 x 600	SSS	
32 x 450	SSS	PSS
32 x 600	SSS	PSS
32 x 900	SSS	

72

## **ROUND ROSE**

CONVERTER



CONCEALED

#### RR

#### DOLIND DOSE DAID

To convert bolt through pull handles to a surface fix grabrail.

Compatible with 19mm dia pull handles Sold as a pair to convert one pull handles

### **GRABRAILS**

#### D GRAB RAIL ON ROSE



# HARDWARE

#### **P80**

HINGED GRAB RAIL

32mm dia x 600mm Base size 120 x 280mm PCW






#### P81

CLISHIONED BACK DEST


32mm dia x 400mm width Cushion size 140mm x 280mm Projection 240mm PCW

# SCENARIOS


#### COMPARTMENT



#### **CORNER**



#### **PENINSULAR**



VIEW OUR RANGE of quality

# CABINET HANDLES



D SHAPED TUBULAR CABINET HANDLES



#### P1200

D SHAPED TUBULAR CABINET HANDLE

Available sizes

10 x 96mm CC Finishes available PC, SC & SN

10 x 100mm CC Finishes available SSS & PSS

10 x 150mm CC Finishes available SSS,PSS PC & SN



AVALIABLE IN DIFFERENT



#### **P1104 BOW**

**BOW SHAPED CABINET HANDLE** 

Available sizes

10 x 128mm CC

10 x 192mm CC

10 x 288mm CC

PC, SN

#### **P1105 T-BAR**

T BAR CABINET HANDLE

Available sizes

10 x 64mm CC, 124mm OA


10 x 160mm CC, 220mm OA

10 x 256mm CC, 335mm OA

10 x 416mm CC, 495mm OA

10 x 640mm CC, 720mm OA

PC, SN



## DESIGNER

#### P1101

C CUT OUT CABINET HANDLE

Available sizes 192mm c/c 255 OA 320mm c/c 382 OA PA

#### P1102

D CUT OUT CABINET HANDLE

Available sizes 192mm c/c 255 OA 320mm c/c 382 OA PA

#### P1103

**CURVED CABINET HANDLE** 

Available sizes 160mm c/c 192mm OA 192mm c/c 255mm OA PC



# DIGITAL LOCKS



#### 000021

#### 002 DIGITAL DX DEADLATCH

Suits right or left hand doors opening in Outward opening option available on request Suitable for door thickness 32-45mm 60mm backset Hold-back function SC

#### 053001

#### 530 DIGITAL DX ENTRANCE SET

Suitable for door thickness 35-45mm 60mm backset SC







#### **355 DEADLOCK**

Suitable for hinged and some sliding doors Lockable turn knob with inbuilt clutching device to resist wrench attack

Strong interlocking case and mounting plate to resist jemmy and hammer attack

Concealed fixing

Positive deadlocking action

Opened by key from outside and by turn knob from inside when free. Internal key locks or unlocks turn knob. SC.

#### **303 DEADLOCK**

Suitable for hinged and some sliding doors Lockable turn knob with inbuilt clutching device to resist wrench attack

Strong interlocking case and mounting plate to resist jemmy and hammer attack

Concealed fixing

Positive deadlocking action

The mechanism and the design are protected by Australian and International Patents and Design Registrations

Opened by key from outside and by turn knob from inside

Opened by key from outside and by turn knob from inside.  $\ensuremath{\mathsf{SC}}$ 



# STUFF YOU NEED TO KNOW...

#### TERMS OF SALE

- Invoices will be due for payment at the end of the month following that of delivery.
- 2 Shortage and damages must be reported within 5 working days of date of receipt of goods as shown on the accepted delivery note.
- 3 Printed prices are exclusive of VAT.
- 4 Goods will remain the property of Access Hardware Ltd until payment is received in full.

Full terms of sale are issued during credit account processing.

#### **RETURNS**

Access Hardware do not offer a sale or return policy. However, in the event that you need to return products to us for any reason they will only be accepted and credited with the following conditions and will be subject to a minimum 15% restocking charge\*:

- 1 Goods have not been held by you for longer than a period of 3 months from the date of invoice.
- 2 Goods need authorization from an AH representative who will then issue a returns note to be completed by the customer.
- 3 Goods must be returned in the original packaging and in a re-saleable condition.
- 4 Goods to be returned by the customer at their cost and include relevant completed paperwork.

\*Faulty or damaged products will not be subject to a re-stocking charge and will be uplifted by Access Hardware Ltd.

#### **GUARANTEE**

Access Hardware guarantee the products in this catalogue against defects in workmanship and materials subject to fair wear and tear in standard atmospheric conditions for a period of 10 years.

Access Hardware assumes no liability for:

- 1 Improper installation or failure to follow fitting instructions.
- 2 Improper maintenance or unfair wear and tear.
- 3 Indirect or consequential loss or damage.
- 4 Cost of removal and/or replacement.
- 5 Cost of freight and/or travelling expenses.
- 6 Although our stainless steel products are suitable for most applications, neither grade 304 or 316 is unconditionally guaranteed, and advice should be sought from one of our representatives.

# CARE INSTRUCTIONS THE DOS & DON'TS

- Don't leave dirt to build up on the surface it lessens the corrosion resistance
- Don't use abrasive cleaning agents as they will damage the surface of the product
- X Don't use carbon steel brushes or wire wool. They leave deposits that rust

- ✓ Do wipe the surface regularly with a damp clean cloth
- Do use a mild detergent or soap to clean the surface on a regular basis
- ✓ Do replace mild detergents with a mild non scratching cream for more stubborn spots
- Do rinse off any detergents or soap with warm clean water & dry with a towel